


ACM - CORPORATE PANEL LINE - PXC SERIES

4 inch wide aluminum clips
attached to perimeter
extrusions every 12-16
inches or as specified



Proprietary
aluminum extrusion
attached in the shop
with countersunk
stainless steel
screws or rivets

4mm prefinished ACM
panel in PE or FR core
with 20 years
FinishWarranty

1.5 x 1.5 x 0.125"
square tubing
attached with 3M VRB
tape as a stiffener

90 degree corner
clips crimped
in place


Aluminum Clips



1/2" Reveal (Spline)

FRONT VIEW




1.5" x 1.5" x 0.125" Square Tubing






SIDE VIEW



TOP VIEW



DETAIL B
SCALE 1 : 3



DETAIL C
SCALE 1 : 3

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PANELEX INDUSTRIES LD. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PANELEX INDUSTRIES LTD. IS PROHIBITED.

		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	NAME	DATE	PANELEX INDUSTRIES	
		MATERIAL: 4MM COMPOSITE PANEL	R.R	11/05/14		
		FINISH : POST PAINTED : COLOR AS PER CLIENT REQUEST	CHECKED		SIZE A	
			ENG APPR.			
			MFG APPR.		WEIGHT:	
			Q.A.			
			COMMENTS:			
NEXT ASSY	USED ON		4MM COMPOSITE PANELS # PROPRIETARY EXTRUSIONS AND CLIPS COUNTERSUNK SS FASTENER OR AS SPECIFIED BY CLIENT.			
APPLICATION	DO NOT SCALE DRAWING					